

Sanitary Facility

Toilets and Urinals for Pupils

No of students	Required no of toilets for girls schools	Required no of toilets and urinals for boys schools	
		Toilets	Urinals
100	2	1	2
200	3	1	2
300	5	2	3
400	6	2	4
500	8	3	5
600	9	3	6
700	11	4	7
800	12	4	8
900	14	5	9
1000	15	5	10
1200	16	5	11
1400	17	6	11
1600	18	6	12
1800	19	6	13

For Mix schools, identify no of toilets and urinals separately for boys and girls using above table.

Example :300 boys and 400 girls

For boys, two toilets and three urinals.

For girls, six toilets.

Teacher Toilets

For teachers less than10 two toilets

10 to 40 teachers – four toilets

Above 40 – five toilets

Water

Water can be supplied from water supplying schemes under Urban Councils if schools are situated in urban areas. Please check as to availability of water for the school concerned. Even if water is supplied, overhead tanks have to be constructed.

If not, well water must be made available for students.

A well has to be dug in the premises of school, Overhead tank has to be constructed and pump house with electrical water pump has to be provided to pump water from the well to the tank. From there, water must be distributed to toilets, Laboratories, Home Science, Canteen, Administrative Block etc,.

If school is situated in a close proximity to the sea, well water is not drinkable due to salinity.